

Db2 Users Group

CCDUG CenCan 2024

Db2 for z/OS – Application Development Made Easy

Brian Tsao

IBM

Platform: Db2 for z/OS

117 Billion SQL / day

Db2 for z/OS

67 of the Fortune 100 companies

8 of the top 10 insurers

45 of the world's top 50 banks


7 of the top 10 global retailers

1579 Million Commits / day

183 Billion


Rows in a single table

Goal and product strategy



Bring Db2 to you!

Data Studio functions are replaced by role-based products



Target persona




Deb z/OS Developer

Use Web IDE with Db2 services to

- Code, debug, and tune Java, COBOL, PL1, Node applications that access Db2 for z/ OS via SQL
- Code, analyze, run, tune SQL statements
- Code, debug, and tune Db2 for z/OS stored procedures
- Develop Db2 for z/OS Native Rest services

Why Visual Studio Code?

86,544 responses - 2023 stack overflow Developer Survey



Db2 Application development - Feature highlights and timeline

2020/21 V1.1	2022/23 V2.1		2024 Current V2.1.5	
 Usability features Syntax highlighting and checking Code snippets Code completion Run SQL (BYOL) JDBC tracing Native stored procedure debug SQL Formatting and embedded SQL execution Integration with SQL Tuning services Single query tuning (No charge) Statistics Advisor Visual Explain Query Environment Capture 	with native suppo • Integration with S	r z/OS V 16.0 release rt for Db2 for z/OS GQL Tuning services lery tuning (Licensed) r sor	 External stored prodevelopment/deple Java stored prode External SQL store More Db2 for z/OS IBM Developer for Interactive SQL ex notebook interface VSCode color them Catalog Navigation filter Storage groups Databases Tables 	oy cedure ored procedure capabilities in z/OS ecution within e nes

Db2 Application development - Feature highlights and timeline

Future

- Integrations:
- IBM Db2 DevOps Experience for z/OS– Enable application instance provisioning, DDL development, business rules checking, etc.
- IBM Wazi dev spaces integration
- External stored procedure debugging
 - Java stored procedure
 - External SQL stored procedure
- Intelli-sense
- Import connections from Data studio
- DDL Generation
- More Db2 for z/OS capabilities in IBM Developer for z/OS



IBM / db2forzosdeveloperextension-about

https://github.com/IBM/db2forzosdeveloperextension-about

Report a bug Create a bug report that describes a problem, regression, or faulty behavior.	Get started
Request a new feature Request a new feature or enhancement to help improve IBM Db2 for z/OS Developer Extension.	Get started

IBM Db2 for z/OS Developer Extension

User interface – Db2 Application development support on Visual Studio IDE

• •	tune.sql — AppDev	
DB2 DEVELOPER EXTENSION ···	returndeptsalary.spsql	
\sim DB2 FOR Z/OS CONNECTIONS	E tune.sql	
 stlabe7.svl.ibm.com/ 2 2 2 1 Databases Indexes Packages Plans Schemas Storage groups QUERY HISTORY < returndeptsalary.spsql 7/13/2023, < tune.sql 7/13/2023, 12:44:29 (stlab < returndeptsalary.spsql 7/13/2023, 	1 SELECT 2 EMPN0 3 , ACTN0 4 , CHAR(EMSTDATE, USA) 5 , CHAR(EMENDATE, USA) 6 FROM 7 DSN81210.EMPPROJACT 8 WHERE 9 EMPNO IN (10 SELECT 11 EMPNO 12 FROM 13 DSN81210.EMP 14 WHERE 15 WORKDEPT = 'E11' 16); 17	بالمرايا
✓ SQL TUNING SERVICES SERVERS ■ stlabe7.svl.ibm.com:9493 (sowmya) ✓ TUNING HISTORY > ✓ SELECT EMP 7/13/2023, 12:45:1 > ✓ SELECT EMP 7/13/2023, 10:34:4	18 CREA 18 CREATE_DGTT 28 CREATE_WRAPPED CREATE DATABASE statement CREATE DATABASE state > CREATE FUNCTION statement (compiled SQL CREATE FUNCTIO CREATE FUNCTION statement (inlined SQL CREATE FUNCTIO CREATE FUNCTION statement (SQL ta CREATE FUNCTION stat CREATE FUNCTION statement (SQL ta CREATE FUNCTION stat CREATE INDEX statement CREATE INDEX statement CREATE PROCEDURE statement (SQL - ext CREATE PROCEDURE s CREATE PROCEDURE statement (SQL - na CREATE PROCEDURE s CREATE TABLE statement CREATE TABLE statement CREATE TABLE statement CREATE TABLE statement CREATE TRIGGER statement CREATE TRIGGER statement CREATE TRIGGER statement CREATE TRIGGER statement CORRELATION	

IBM Db2 for z/OS Developer Extension

Interactive SQL


User interface – Db2 Application development support on Visual Studio IDE

	← → \bigcirc [Extension Development Host] custom	
DB2 DEVELOPER EXTENSION	··· 🛢 demo.isql •	⇔ 🗆
\sim DB2 FOR Z/OS CONNECTIONS	≡ demo.isql >	
> C dtec954 (disconnected)	+ Code + Markdown ▷ Run All ☴ Clear All Outputs ⑧ Go To …	🚊 utec
> 🖯 dtec955 (disconnected)		
> (disconnected)	1 SELECT * FROM INVALIDTABLE;	
> 🖯 utec648 (connected)	[6] (8) 0.6s	S
	ExecutionError	
	> 1 SELECT * FROM INVALIDTABLE;	
	ExecutionError: <u>ADMF001.INVALIDTABLE IS AN UNDEFINED NAME. SQLCODE=-204, SQLSTATE=42704, DRIVER=4.32.28</u>	
 > \sqrt{issue.isql} 5/9/2024, 16:04:43 (utec648) > \sqrt{issue.isql} 5/9/2024, 16:03:09 (utec648) 	[] Ag CREATE_DGTT Sample CREATE TABLE statement (IBM Db2 fo x Ag CREATE WRAPPED r.z.(OS Developer Extension)	
> v issue.isql 5/9/2024, 16:03:09 (dtec648) > v issue.isql 5/9/2024, 16:02:23 (dtec648)	CREATE DATABASE statement CREATE DATABASE statement CREATE DATABASE statement	
 > vissue.isql 5/9/2024, 16:01:16 (utec648) 	D 1 SELECT CREATE FUNCTION statement (compiled SQL CREATE FUNCTIO ##################################	
> ✓ issue.isql 5/9/2024, 15:56:51 (utec648)	I SELECT CREATE FUNCTION statement (inlined SQL CREATE FUNCTIO # Basic CREATE TABLE statement [1] 2.6s CREATE FUNCTION statement (SQL ta CREATE FUNCTION stat # See https://www.ibm.com/docs/en/db2-for-zo	
> external-sp-eq.spsql 5/9/2024, 14:07:22 (ut.</td <td>Ut CREATE INDEX statement CREATE INDEX statement</td> <td>,</td>	Ut CREATE INDEX statement CREATE INDEX statement	,
> external-sp-eq.spsql 5/9/2024, 14:07:03 (ut.</td <td>ut CREATE TABLE table-name (000010 CHRJ CREATE PROCEDURE statement (Java - IN/OUT p CREATE PR CREATE TABLE table-name (000010 CHRJ CREATE PROCEDURE statement (Java - IN/OUT p CREATE PR CREATE TABLE table-name (52750.00 1000.00 4220.00</td> <td></td>	ut CREATE TABLE table-name (000010 CHRJ CREATE PROCEDURE statement (Java - IN/OUT p CREATE PR CREATE TABLE table-name (000010 CHRJ CREATE PROCEDURE statement (Java - IN/OUT p CREATE PR CREATE TABLE table-name (52750.00 1000.00 4220.00	
SQL TUNING SERVICES SERVERS	000010 CHR CREATE PROCEDURE statement (Java - return a CREATE P Column-name data-type1 WITH DEFAULT const 52750.00 1000.00 4220.00 000020 MI CREATE PROCEDURE statement (SQL - ext CREATE PROCEDURE Column-name data-type2 NOT NULL 41250.00 800.00 3300.00	
dtec955.vmec.svl.ibm.com:944 (ADMF001)	000030 CREATE PROCEDURE statement (SQL - na CREATE PROCEDURE s) 382550.00 800.00 30050.00	
E localhost:944 (ADMF001)	000050 CREATE TABLE statement CREATE TABLE statement IN database-name.table-space-name 40175.00 800.00 3214.00 32250.00 600.00 2580.00	
utec648.vmec.svl.ibm.com:944 (ADMF001)	000000 EVA D PULASKI D21 7831 1980-09 CCSID ccsid-value 36170.00 700.00 2893.00	
	000090 EILEEN W HENDERSON E11 5498 1970-08	
	000100 THEODORE Q SPENSER E21 0972 1980-06-19 MANAGER 14 M 1956-12-18 26150.00 500.00 2092.00 000110 VINCENZO G LUCCHESI A00 3490 1958-05-16 SALESREP 19 M 1929-11-05 46500.00 900.00 3720.00	
	000120 SEAN 0'CONNELL A00 2167 1963-12-05 CLERK 14 M 1942-10-18 29250.00 600.00 2340.00	
	000130 DOLORES M QUINTANA C01 4578 1971–07–28 ANALYST 16 F 1925–09–15 23800.00 500.00 1904.00 000140 HEATHER A NICHOLLS C01 1793 1976–12–15 ANALYST 18 F 1946–01–19 28420.00 600.00 2274.00	
\sim TUNING HISTORY	000150 RRUCE ADAMSON D11 4510 1972-02-12 NANALT31 10 F 1940-01-13 20420.00 000.00 2274.00 000150 RRUCE ADAMSON D11 4510 1972-02-12 DESTGARE 16 M 1947-05-17 25280.00 500.00 2022.00	
>		
> 😣 SELECT * F 5/7/2024, 12:15:35 (utec648.vm	/// 000170 MASATOSHI J YOSHIMURA D11 2890 1978-09-15 DESIGNER 16 M 1951-01-05 24680.00 500.00 1974.00 000180 MARILYN S SCOUTTEN D11 1682 1973-07-07 DESIGNER 17 F 1949-02-21 21340.00 500.00 1707.00	
> SELECT * F 5/7/2024, 12:02:09 (utec648.v</td <td>V 000190 JAMES H WALKER D11 2996 1974-07-26 DESIGNER J / F 1959-02-21 21-90-06 196.00 1636.00</td> <td></td>	V 000190 JAMES H WALKER D11 2996 1974-07-26 DESIGNER J / F 1959-02-21 21-90-06 196.00 1636.00	
> SELECT * F 5/7/2024, 12:01:28 (utec648.vm</td <td></td> <td></td>		
> SELECT * F 5/7/2024, 12:01:08 (utec648.vm)		
SELECT * F 5/7/2024, 12:00:46 (utec648.v.)	V 000230 JAMES J J JEFFERSON J D21 J 2094 J 1966-11-21 J CLERK J 14 J M J 1935-05-30 J 22180.00 J 400.00 J 1774.00	
SELECT * F 5/7/2024, 11:02:05 (dtec955.vm)	000240 SALVATORE M MARINO D21 3780 1979–12–05 CLERK 17 M 1954–03–31 28760.00 600.00 2301.00	
S SELECT * E E/7/2024 11:01:10 /dtee0055.		
SELECT * F 5/7/2024, 11:01:18 (dtec955.vm) SELECT * F 5/7/2024, 10:59:37 (dtec955.vm)		
 > SELECT * F 5/7/2024, 11:01:18 (dtec955.vm > SELECT * F 5/7/2024, 10:59:37 (dtec955.v. > SELECT * F 5/7/2024, 10:55:28 (utec648.v. 	V 000260 SYBIL V JOHNSON D21 8953 1975-09-11 CLERK 16 F 1936-10-05 17250.00 300.00 1380.00	


IBM Developer for z/OS is:

Anonymous customer comments

- 'I find it incredibly efficient to program COBOL with IDz. To have multiple window open, used the editor copy-paste commands, open up copybooks or get previews, so many features
- 'Its an easy application to use and very helpful in my day-to-day role of production support'
- 'Great for teamwork'
- 'I use the product for my school homework, I love the layout, ease of use, and consistent efficiency to get my homework done'
- 'There is some nice features in IDz, regarding USS, debugging, dataset browsing and copying, source analysis, etc. Furthermore, we use Git, and have direct access to our source code so we actually give the opportunity to work in a "normal" manner in IDz/ Eclipse -...this makes it easier for the new mainframer



Future Db2 for z/OS Tooling for developers (using Eclipse)



Multi-phased approach for delivery of Db2 for z/OS features within IDz

IDz 16.0.0 (4Q22)

- Configure IDz to use the Db2 for z/OS client license file
- Configure DB2 Subsystem in RSE
- Select a SQL Statement and Execute It
- Configure SQL Execution Options
- Browse SQL Results and Review Prior SQL Executions
- Integration with Db2 Accessories Suite for 3 nocharge SQL Tuning Services
 - Visual Explain,
 - Stats Advisor,
 - Query Environment Capture

IDz 16.0.1 (1Q23)

- Run SQL, Tune SQL from LPEX
- COBOL & PL/I Editor support for Semantic Validation of SQL Objects

IDz 16.0.2 (2Q23)

- Explore DB2 Catalog (Phase 1)
 - Schemas, Storage Groups, Tables, Databases
- Favorites
- Browse Tables
- Override JDBC driver
- Connectivity & licensing improvements

4Q23

- Explore DB2 Catalog (Phase 2)
 - Indexes, Packages, Plans, Stored Procedures, Views
- SQL Editor with Format SQL
- New SQL Script
 - Open connected SQL Editor
 - Open a Query History statement(s) in a SQL editor
 - Open DDL or Package Statements in a SQL Editor
 - Generate a SELECT statement with all columns from a Table/ View
- Edit Tables
- Push to client support

Planned for 2024

- Explore DB2 Catalog (Phase 3)
 - Table spaces, Triggers,UDFs, Aliases, Sequences, UDTs, Variables, REST services
- DCLGEN (Table, View, Alias)
- Stored Procedures
 - Create, Deploy, Debug/ Run
- Overview Diagram

IBM - VS Code Extensions



Zowe Explorer𝔅 103msVS Code extension, powered by Zowe CLI, th...Image: Comparison of the systemImage: Comparison of the systemImage:



Zowe Explorer Extension for FTP℃ 60msAdds zFTP support to Zowe Explorer demons...Image: Some Source S



Zowe Explorer for IBM CICS♀ 4KExtension to the Zowe Explorer for IBM CICS♀ ZoweInstall




IBM Z Open Debug𝔅 13msProvides a Debug Adapter Protocol (DAP) cli...<a href="https://www.selfabor/self





IBM Db2 for z/OS Developer Extens... ⁽[®]) 82ms Provides support for developing IBM Db2 for ... ♥ IBM



CCDUG CenCan 2024

Thank you!

Platform: Db2 for z/OS

Central Canada

Db2 Users Group